

PRODUCT CATALOGUE

AR
ADHUNIK
ROOF

**WE
KNOW
ROOFS**



✉ adhunikroof@gmail.com

☎ +91 70990 92352

🌐 www.adhunikroof.com

🏠 Gotanagar, Tetelia, Near
Cambridge Public School Bylane,
NH-37, Guwahati, Assam, 781011



Innovation Above, Quality Beyond

WELCOME TO ADHUNIK ROOFS

At Adhunik Roofs, we're redefining roofing solutions across North-East India. With over a decade of expertise, we blend cutting-edge technology with traditional craftsmanship to deliver superior, durable, and aesthetically pleasing roofing products. Our range of color-coated, galvanized, and aluminum sheets is designed to meet the highest standards of quality and performance.

Whether it's a residential home, commercial building, industrial complex, or agricultural structure, our customizable and eco-friendly solutions ensure lasting protection and energy efficiency. Trust Adhunik Roofs for a seamless experience from concept to completion, where innovation meets tradition, and quality speaks volumes.



OUR EXPERTISE

- High-Rib Color Profile Sheets · High-Rib Tiles Profile Sheet · High-Rib Bare Galvalume Profile Sheet
- Low-Rib Colour Profile Sheets · Colour Corrugated Sheets · Low-Rib Galvalume Profile Sheets
- Galvalume Corrugated Sheet · Aluminium Profile & Corrugated Sheets · Linear Profile Sheets

WHY CHOOSE ADHUNIK ROOFS?



Unmatched
Durability



Vibrant Colour
Options



Weather-Resistant
Technology



Eco-Friendly
Materials



Customizable
Solutions



ISO Certified
Quality

THE ADHUNIK ADVANTAGES

- 1. Long-Lasting Protection:** Our advanced coating technology offers superior resistance to corrosion and weathering.
- 2. Aesthetic Appeal:** Choose from a spectrum of colors to complement your architectural style.
- 3. Lightweight Yet Strong:** Enjoy the perfect balance of durability and ease of installation.
- 4. Energy Efficient:** Our roofing solutions contribute to better temperature regulation in your spaces.

TURNKEY SOLUTION PROVIDER

State of Art
Manufacturing

360° Degree
Roofing Solutions

Eco-friendly
& Long Lasting

SECTORS WE SERVE



Residential Homes



Commercial Buildings



Industrial Complexes



Agricultural Structures



Sports Facilities



Transportation Hubs

COLORED ROOFING SHEET MANUFACTURERS IN GUWAHATI: ADHUNIK ROOF

Adhunik Roof is a leading Roofing Steel Sheets Manufacturers. Offered under the same brand name, our roofing sheets are designed and developed using the latest technical support and the expertise of experienced professionals. This ensures optimum end usage experience and satisfaction.

Our superior designed and developed range of Color Coated Roofing Sheets can be made available in different finish specifications as per the specific requirements of our clients. Manufactured in accordance with defined international standards, these sheets are extensively tested to assure optimum usage support.


WE PROVIDE THE BEST RANGE OF

1. Pre- painted galvalume roofing sheets
2. Pre- painted galvanized roofing sheets
3. Galvalume roofing sheets
4. Galvanized roofing sheets
5. Metal roofing sheets
6. Crimped roofing sheets
7. Industrial roofing sheets
8. Different roofing accessories
9. All with effective and timely delivery


FROM CONCEPT TO COMPLETION

Whether you're planning a cozy bungalow, a sprawling warehouse, or a modern shopping mall, our roofing solutions adapt to your vision. Our expert team guides you through every step, ensuring a seamless experience from selection to installation.

HIGH-RIB COLOUR PROFILE SHEET



Parameters	Technical Specification
Material	Pre-Painted Galvanlume Sheet
Reference Standard	ASTM A 792/A 792M, ASTM AS 1397:1993
Overall Width	1060 mm
Effective Cover Width	1000 mm
Paint System	RMP / SMP Top Coat: 18 - 20 micron Primer Coat: 5 - 7 micron Back Coat: 6 - 8 micron Primer Coat: 3 - 4 micron
Chemical Composition	55% Al, 43.5% Zn, 1.5% Silicon (Coating)
Yield Strength	550 MPA
Guard Film	Available
Length	Customized
Thickness (mm)	0.30, 0.35, 0.40, 0.45, 0.50, 0.60, 0.80



COLOUR OPTIONS OF ADHUNIK ROOF SHEETS



Caulfield Green

Light Blue

Wooden


Grey

Seco Red

HIGH-RIB TILES PROFILE SHEET



Parameters	Technical Specification
Material	Pre-Painted Galvanlume Sheet
Reference Standard	ASTM A 792/A 792M, ASTM AS 1397:1993
Overall Width	1060 mm
Effective Cover Width	1000 mm
Paint System	RMP / SMP Top Coat: 18 - 20 micron Primer Coat: 5 - 7 micron Back Coat: 6 - 8 micron Primer Coat: 3 - 4 micron
Chemical Composition	55% Al, 43.5% Zn, 1.5% Silicon (Coating)
Yield Strength	550 MPA
Guard Film	Available
Length	Customized
Thickness (mm)	0.40, 0.45, 0.50



COLOUR OPTIONS OF ADHUNIK ROOF SHEETS



Turquoise Green

Pepsi Blue


Environmental Green

Brick Red


Off White

Other colours can be made available as per order.

HIGH-RIB BARE GALVALUME PROFILE SHEET





Parameters	Technical Specification
Material	Bare Galvanlume Sheet
Reference Standard	ASTM
Overall Width	1060 mm
Effective Cover Width	1000 mm
Chemical Composition	RMP / SMP
Yield Strength	55% Al, 43.5% Zn, 1.5% Silicon (Coating)
Coating	AZ 150
Length	Customized
Thickness (mm)	0.30, 0.35, 0.40, 0.45, 0.50



LOW-RIB COLOUR PROFILE SHEET



Parameters	Technical Specification
Material	Pre-Painted Galvanlume Sheet
Reference Standard	ASTM A 792/A 792M, ASTM AS 1397:1993
Paint System	RMP / SMP Top Coat: 18 - 20 micron Primer Coat: 5 - 7 micron Back Coat: 6 - 8 micron Primer Coat: 3 - 4 micron
Chemical Composition	55% Al, 43.5% Zn, 1.5% Silicon (Coating)
Yield Strength	550 MPA
Guard Film	Available
Length	Customized
Thickness (mm)	0.20, 0.25, 0.30, 0.35, 0.40



COLOUR OPTIONS OF ADHUNIK ROOF SHEETS



Seco Red



Pepsi Blue




Environmental Green





Grey

Other colours can be made available as per order.

LOW-RIB GALVANLUME PROFILE SHEET




Parameters	Technical Specification
Material	Bare Galvanlume Sheet
Reference Standard	ASTM
Chemical Composition	55% Al, 43.5% Zn, 1.5% Silicon (Coating)
Yield Strength	550 MPA
Coating	AZ 150
Length	Customized
Thickness (750 mm)	0.18, 0.20, 0.22, 0.25, 0.28, 0.30, 0.32, 0.35, 0.37, 0.40
Thickness (850 mm)	0.22, 0.25, 0.28, 0.30, 0.32, 0.35, 0.37, 0.40



COLOUR CORRUGATED SHEET



Parameters	Technical Specification
Material	Pre-Painted Galvanlume Sheet
Reference Standard	ASTM A 792/A 792M, ASTM AS 1397:1993
Overall Width	800 mm / 910 mm
Effective Cover Width	760 mm / 870 mm
Paint System	RMP / SMP Top Coat: 18 - 20 micron Primer Coat: 5 - 7 micron Back Coat: 6 - 8 micron Primer Coat: 3 - 4 micron
Chemical Composition	55% Al, 43.5% Zn, 1.5% Silicon (Coating)
Yield Strength	550 MPA
Guard Film	Available
Length	Customized
Thickness (mm)	0.20, 0.25, 0.30, 0.35, 0.40



COLOUR OPTIONS OF ADHUNIK ROOF SHEETS



Seco Red



Pepsi Blue



Environmental Green





Grey

Other colours can be made available as per order.

GALVALUME CORRUGATED SHEET





Parameters	Technical Specification
Material	Bare Galvalume Sheet
Reference Standard	ASTM
Overall Width	800 mm / 910 mm
Effective Cover Width	760 mm / 870 mm
Chemical Composition	55% Al, 43.5% Zn, 1.5% Silicon (Coating)
Yield Strength	550 MPA
Coating	AZ 150
Length	Customized
Thickness (800 mm)	0.18, 0.20, 0.22, 0.25, 0.28, 0.30, 0.32, 0.35, 0.37, 0.40
Thickness (910 mm)	0.22, 0.25, 0.28, 0.30, 0.32, 0.35, 0.37, 0.40



ALUMINIUM PROFILE & CORRUGATED SHEET




Parameters	Technical Specification
Material	Aluminium Sheet
Alloy / Temper	AA 3015 / H16
Overall Width	1060 mm
Effective Cover Width	1000 mm
Design	Hi-Rib Profile & Corrugated
Guard Film	Available
Length	Customized
Thickness (mm)	0.50, 0.80



LINEAR PROFILE SHEET



Parameters	Technical Specification
Material	Pre-Painted Galvalume Sheet
Reference Standard	ASTM A 792/A 792M, ASTM AS 1397:1993
Overall Width	1160 mm
Effective Cover Width	1100 mm
Paint System	RMP / SMP Top Coat: 18 - 20 micron Primer Coat: 5 - 7 micron Back Coat: 6 - 8 micron Primer Coat: 3 - 4 micron
Chemical Composition	55% Al, 43.5% Zn, 1.5% Silicon (Coating)
Yield Strength	550 MPA
Guard Film	Available
Length	Customized
Thickness (mm)	0.30, 0.35, 0.40, 0.45, 0.50, 0.60, 0.80



COLOUR OPTIONS OF ADHUNIK ROOF SHEETS



Seco Red



Pepsi Blue




Environmental Green



Grey

Other colours can be made available as per order.


ROOFING ACCESSORIES



Plain Ridge

End Wall Flashing


Crimped Eaves End



Box Gutter

Internal Corner Flashing


Ridge



Corner Flashing

Valley Gutter

Crimped Ridge Cover




Apron

Drip Flashing

Opening Flashing

CRIMPING

The crimped sheets are essentially used for curved roofs as these crimped sheets are manufactured from normal trapezoidal profile sheet with required bending as per structural requirement. These crimped sheets ensure joint less long bend sheets, thus no chance of leakage from the bend portion.




OTHER ACCESSORIES



SELF DRILLING SCREWS



POLYCARBONATE SHEETS



FRP SHEETS



TURBO VENTILATOR